

Rapid[®]


SVENSK EFFIXITY



CATALOG

A complete range for floristry, agriculture, horticulture and industry

View all detailed product information at www.rapidtools.nl



Rapid Tools

A complete range for floristry, agriculture, horticulture and industry

Rapid's position as market leader is guaranteed by quality assurance, which is by its own production facilities in Sweden, France and China. Rapid Tools is part of Westparts B.V. and official premium partner of Isaberg Rapid AB.

Index

Pliers	4
Staple guns	5 - 7
Cable tackers	8
Hammer tackers	8
Electric tackers	9 - 10
Pneumatic tackers	10
.....	
Fence, garden and vine pliers	11
.....	
Battery-powered pruner	12 - 13
Battery-powered binding machine	14 - 15
.....	
Punch pliers	16
Hot-air guns	16
Blind riveters	17
.....	
Glue guns	18 - 19
Glue sticks	20 - 21
.....	
Staples	22 - 25
Nails	26
Eyelets & grommets	27
Blind rivets	27
Hog rings	28 - 29
.....	
Staples & nail guide	31

 Number of sheets (80 gr/m2)	 Type of staple	 Type of eyelet
 Net weight (gr)	 Type of nail/brad	 Type of glue
 Packed per	 Type of hogring	 Type of rivet
 Number of years warranty	 Made in Sweden	 Temperature (°C)



K1

50 5 24 Staples 6-8 mm

The world's best-selling stapler and a favourite of florists. Beautiful classic design with adjustable anvil for staples and pin handles. Ideal for post office, shop, home and office.

Packaged in T&F blister R10510628 340 24

Packed in box R10510601 340 40



K41 R10542901 360 40

20 5 41

Same design as the K1 pliers, but for corrugated staples. Corrugated staples give a better grip to paper. Fully chrome-plated. Very high quality.



Maxi SP R5000890 230 6 20 5 19 Staples 6 mm

Light and sturdy, ideal for office work and packaging. Easy in the hand for optimum use. Staples up to 20 sheets of paper. Refills at the back. Staple supply is visible at the side.



E10 R21310400 200 50

15 2 10 Staples 4 mm

This compact stapler with handy top loading mechanism, for refilling staples, consists of half-strip metal with an ABS plastic top. Ideal for home and office use.



Scan for all pliers

Robust and durable pliers

Rapid offers a wide range of robust and durable pliers tailored to the needs of professionals and do-it-yourselfers. The smart design and unique features are the result of our tradition of innovation and the fact that we have taken time taken to understand the needs of our users.



HD31 R10540310 530 10 70 5 73 Staples 6-12 mm

Powerful, nickel-plated staplers with finger stop. Ideal for air-cushion envelopes, small boxes, etc. Works with 2 different anvils, easy to attach. Perfect for mailroom, office and warehouse.



S27 R24142811 190 6 30 5 24 Staples 6 mm

This beautiful stapler staples up to 30 sheets without a problem, using the same staples. The patented SuperFlatCinch technology ensures super flat results and reduces paper stacks by 40%.



R23

5 13 5 Staples 4-8 mm

Lightweight, easy-to-use metal tacker ideal for demanding, professional jobs where precision is required. Suitable for various jobs such as upholstering furniture, fastening thin fabrics, leather paper, labels or delicate textiles.

Packaged in T&F blister R20510450 550 5/450

Packed in box R10600521 560 6/912



R153

R20511050 550 5 5 53 Staples 4-8 mm

Light, easy-to-use metal tacker ideal for demanding, professional jobs where precision is required. Suitable for various jobs such as upholstering furniture or attaching textiles, leather paper or labels.



R14

R20511450 560 5 5 140 Staples 6-8 mm

Light, easy-to-use metal tacker ideal for demanding, professional jobs where precision is required. Suitable for various jobs such as fastening thin materials e.g. insulation, vapour control film, tarpaulin, cardboard or other materials requiring extra tensile strength.



R33

R20510650 870 5 5 13 5 Staples 6-14 mm

Powerful tacker without compromise designed for demanding professional applications. With very long service life and patented 3-step adjustable impact force. Suitable for many heavy-duty jobs such as fastening heavy textiles, carpets, leather and canvas.



R353

R20511250 870 5 5 53 Staples 6-14 mm

Powerful tacker without compromise designed for demanding professional applications. With very long service life and patented 3-step adjustable impact force. Suitable for many heavy-duty jobs such as fastening heavy textiles, carpets, leather and canvas.



R34

R20511550 870 5 5 140 Staples 6-14 mm

Powerful tacker without compromise designed for demanding professional applications. With very long service life and patented 3-step adjustable impact force. Suitable for many heavy-duty jobs such as fixing insulation, vapour barriers, plastic sheeting, tarpaulin, cardboard or other materials requiring extra tensile strength.



Scan for all staple guns





Scan for all staple guns



R253 R20009450 400 5 3 53 Staples 6-14 mm

Lightweight, easy-to-use tacker for DIY, home projects or simple professional jobs. Ideal for upholstering furniture, decorating with various types of textiles or attaching carpet, quilts, leather or thicker textiles.



R453 R20009502 390 5 3 53 Staples 6-14 mm

Lightweight, easy-to-use tacker for DIY, home projects or simple professional jobs. Ideal for upholstering furniture, decorating with various textiles or attaching carpets, quilts or leather. Also suitable for working with thin wood and other light carpentry work.



R83 R20011550 400 5 3 13 Staples 6-14 mm

Lightweight, easy-to-use tacker for DIY, home projects or simple professional jobs. Ideal for upholstering furniture, decorating with various textiles or attaching carpets, quilts or leather. Also suitable for working with thin wood and other light carpentry work.



R13 R20443901 310 5 3 13 Staples 4-10 mm

The R13 is suitable for smaller hands. This makes it ideal for upholstering furniture, decorating with various textiles or attaching quilts, posters or leather.



R53 R20443850 300 5 3 53 Staples 4-10 mm

Lightweight, easy-to-use tacker for DIY, home projects or simple professional jobs. Ideal for upholstering furniture, decorating with various textiles or attaching quilts, posters or leather.



Compacta R11520110 630 16 2 53 Staples 6-14 mm

Easy-to-use tacker for jobs in and around the house. The adjustable impact force allows the tacker to be used with different materials. A good solution for upholstering furniture and decorative work with different types of cloth or textiles.



R64 R21000860 400 10 3 140 Brads 15 mm Staples 6-14 mm

Lightweight, easy-to-use tacker for DIY, home projects or simple professional jobs. Made of sturdy, robust plastic for powerful performance and long life.



ALU840 R22876000 720 5 5 140 Brads 15 mm Staples 6-14 mm

Powerful, ergonomically superior aluminium tacker for demanding professional applications and precise handling. Excellent performance and long service life.



ALU610 R40107318 530 6 3 13 Staples 6-10 mm

Made for smart and effective DIY use. This unique tacker has an inverted handle that makes it possible to work even without the support of material or a stable, flat surface.



ALU953 R5000516 600 3 3 53 Brads 15 mm Staples 6-14 mm

For DIYers looking for professional performance. The ALU953 is a revolutionary tacker that reduces the force required by 65% compared to conventional tackers.



ESC058 R467000000 880 3 58 Staples 8 mm

Fast handtacker made of cast aluminium that has been tried and tested for decades. The ideal handtacker for professionals and upholsterers. Pull handle for quick staples. Infinitely adjustable striking force.

Rapid
SVENSK EFFIXITY





Scan for all cable tackers



For \varnothing 4,5 mm cables

R28 R20511750 860 5

PRO 5 28 Staples 9-11 mm

Unique, superior cable cutter for a variety of demanding professional jobs. Especially for low-voltage cables up to 4.5 mm in diameter. The R28 features patented 3-step adjustable striking force.



For \varnothing 6 mm cables

R36 R11520110 860 16

PRO 5 36 Staples 6-14 mm

Unique, superior cable cutter for a variety of demanding professional jobs. Especially for low-voltage cables up to 6 mm in diameter. The R36 features patented 3-step adjustable striking force.

Hammer tackers



R11 R20725902 1020 10

PRO 2 140 Staples 6-10 mm

The R11 is a powerful, precise hammer picker developed for demanding professional applications. Ideal for jobs such as fixing roofing, insulation material, vapour and plastic sheeting.



R19 R20726001 410 10

PRO 2 13 Staples 4-6 mm

Lightweight, easy-to-handle hammer tacker perfect for regular, intensive use. Ideal for jobs such as fixing labels, posters, textiles, plastic sheeting or insulation material.



R311 R5000005 1060 5

PRO 2 140 Staples 6-12 mm

Offering superior precision and longevity, the R311 is an effective hammer picker and capable of tackling a wide range of demanding professional jobs.

Smart, powerful hammer tackers

Sometimes for a job you need to attach material quickly with a large number of staples, then Rapid hammer tackers are the best choice. The Rapid range brings smart, useful features to every user, such as recoil technology which ensures that the hammer tacker is easily raised back up by the recoil. This reduces hand strain as less effort is required.



Scan for all hammer tackers



R553 R10642912 1700 5

PRO 2 8 Brads 15-20 mm 53 Staples 8-20 mm

The R553 is a powerful electric tacker ideal for demanding professional use and precise handling. With robust components and durable build quality.



R214 R24171201 1930 5

PRO 2 140 Staples 8-16 mm

Powerful electric tacker ideal for demanding professional use and precise handling. With robust components and durable build quality. The R214 offers a long service life, even in intensive use.



Hobby R5000579 1260 4

2 8 Brads 15 mm 53 Staples 6-14 mm

Lightweight and ergonomic, this tacker is easy to use for all applications around the house. Ideal for fixing fabric, for small decoration work or for fixing very fine wooden pieces.

Electric, ergonomic tackers

Rapid tackers deliver high performance and precise fastening. Like every Rapid product, these tackers feature excellent ergonomics, performance and features focused on the user.



Scan for all electric tackers



ESN114 R22275001 1810 5

2 8 Brads 15 mm 140 Staples 6-14 mm

A powerful electric tacker for more demanding projects around the house. The ESN114 is ideal for fastening thinner wood and materials such as cardboard, plastic sheeting or paper which requires extra traction.



ESN530 R5000129 1130 3

2 8 Brads 15 mm 53 Staples 6-14 mm

Easy-to-use, powerful electric tacker for more demanding projects around the house. The ESN530 is ideal for furniture upholstery, textiles, carpet, leather or fastening thin wood.



BTX530 R5000128 1190 3

2 8 Brads 15 mm 53 Staples 6-14 mm

This versatile cordless stapler is ideal for jobs in and around the house that require more freedom of movement. The BTX530 handles more than 1,300 staples/brads per battery charge. Perfect for everyday use and jobs such as fastening fabrics, textiles, carpets, leather or thin wood.



BTX530
BATTERY TACKER



Scan for all electric tackers



BN50 R5000836 6830 2 **PRO** 2 Brads 25-50 mm

The BN50 is a powerful, mobile, cordless finishing tacker for professionals. Ideal for finishing work, skirting boards, frames, panelling, floors, panels and battens.

BN64 R5000837 6930 5 **PRO** 2 16A Brads 32-64 mm

The BN64 delivers powerful, mobile, cordless performance for professionals looking for a superior finish cutter. Ideal for finishing work, skirting boards, cabinets, boxes, frames, furniture, panelling and battens.

Pneumatic tackers



When a job requires high speed and precise fastening, pneumatic tackers always deliver the best results. These powerful, efficient tackers make working with long-legged staples easy and hassle-free. Each model delivers ergonomic performance combined with its lightweight construction. This makes it highly suitable for construction, roofing, panelling, upholstery or mouldings.



Scan for all pneumatic tackers



PS101 R5000051 1670 5 2 53 Staples 6-16 mm

Light, manoeuvrable and versatile thanks to its magnesium body and long nose for precise work. The PS101 is a pneumatic tacker and ideal for working with textiles, leather, tapestries, labels and light joinery.



PB131 R5000054 2570 4 **PRO** 2 8 Brads 15-50 mm

The PB131 professional pneumatic tacker makes it easy to do frequent and fast work on wood panelling, door frames, wooden deck boards and furniture construction.



Scan for all fence, garden and vine pliers



FP216 R23467900 380 10 2 VR16 Hogring 2-8 mm

These reliable, easy-to-use fencing pliers are ideal for fixing fencing and other applications in tight or confined spaces. Designed for VR16 hog rings.

FP222 R23468100 360 10 2 VR22 Hogring 5-11 mm

For more demanding jobs in the garden, such as securing thicker mesh or fencing. These fencing pliers are a durable, reliable solution that delivers good results. Designed for VR22 hog rings.



GP238 R24311200 280 12 2 VR38 Hogring 6-11-16 mm

Designed to make work in the garden easier and more comfortable. These reliable pliers are ideal for tying up young plants or attaching branches and nets.



FP20 R23468000 220 10 2 VR22 Hogring 2-11 mm

Versatile and easy to use - the FP20 fencing pliers are suitable for use with VR16 and VR22 hog rings, making them ideal for a diverse range of applications, including fixing mesh or fencing.



LIG150 R40107753 390 8 2 C50 Hogring 4-14 mm

The professional standard, durable tying pliers with a high-capacity magazine ideal for securing branches. Designed for optimum performance with the Rapid C50 hog rings.



LIG175 R40107754 460 10 2 C75 Hogring 6-20mm

The professional standard, durable tying pliers with a high-capacity magazine and precise performance. Ideal for securing large branches, designed for optimum performance with the Rapid C75 and C85 hog rings.



Battery-powered binding machine

BHX50



A compact binding machine with integrated spool. The spool is fixed to the machine and guarantees optimal use. Simple and quick loading system. Replacing the binding wire is easy thanks to the smartcut system. Works on branches up to 25mm in diameter. Tying tension adjustable via LCD screen.

The BHX50 comes with two batteries and a quick charger that can charge 2 batteries. Each battery takes less than 2 hours to fully charge. The 2 batteries have a total capacity of 18,000 bonds. The battery is compatible with the BHX50 binding machine and the BHX30 pruning shears. The deluxe case includes 8 spools of binding wire (approx. 7,500 bindings) and a pair of shears. The BHX50 works with wire spools made of plastic (PE) and paper.



PE plastic binding (12 spools)
Article number | R5001598

Paper binding (12 spools)
Article number | R5001599

Standard included

- Luxury case
- 8 spools of binding thread
- Scissors
- Two 14.4V batteries (2.5 Ah)
- Quick charger



Scan for all information

*Also available as a set with the BHX30 battery-powered pruning shears



Product information

Article number	R5001596
Maximum binding capacity	25 mm
Dimensions	240 x 75 x 310 mm
Weight (incl. battery)	1065 grams
Battery type	Lithium-ion 14,4V 2,5Ah
Charger	100-240V 50-60Hz for 2 batteries
Charging time	120 minutes per battery
Bindings per battery charge	+/- 9.000 times
Binding speed (max. continuous)	12 times per minute



Battery-powered pruner BHX30



A professional, compact and efficient pruning shear with a maximum cutting thickness of up to 32 mm. Cutting capacity is adjustable in 2 positions; 15 mm and 32 mm, more efficient work with both small and large branches. High-quality cutting blades for better cutting quality and a longer service life.

The ultra-compact battery ensures total freedom of movement during use. The battery is compatible with the BHX30 pruning shears and the BHX50 binding machine.

Product information

Article number	R5001594
Cutting capacity	15 and 32 mm
Dimensions	100 x 50 x 285 mm
Weight (incl. battery)	900 grams
Battery type	Lithium-ion 14.4V 2.5Ah
Charger	100-240V 50-60Hz for 2 batteries
Charging time	120 minutes per battery
Cuts per battery charge	+/- 3.000 times
Cutting speed (max. continuous)	30 times per minute



Standard included

- Luxury case
- Two 14.4V batteries (2.5 Ah)
- Quick charger



Scan for all information

*Also available as a set with the BHX50 battery-powered binding machine





Scan for all punch pliers



RP03 R5000408 240 12

2 Pongaten 2,5-4,5 mm

Versatile turret punch press for leather, textiles and plastics. The RP03 is easy to use, designed for frequent use and delivers perfect results.



RP05 R5000407 300 12

2 Oogjes Ø 4 mm

The RP05 eyelet tool features an integrated perforation function and comes with 100 eyelets (4 mm diameter). Ideal for use on leather, shoes, canvas and more.

Hot-air guns



A hot air gun is extremely versatile and can help with jobs where a direct source of intense heat is required. The ability to melt, shrink, bend or even weld material together is extremely useful for diverse jobs in varying conditions. All Rapid products are safe and easy to use and, as always, ergonomics is an important functionality and design factor. The result is a hot air gun with perfect balance and a handle that offers extra comfort and reduces fatigue.



Scan for all hot-air guns



2 meter cable

R1600 R24359800 980 4

2 Temperature 400/550°C

Suitable for light jobs around the house such as defrosting freezers, waxing skis, removing stickers and much more. The R1600 features two airflow settings and a temperature range of 400/550°C.



2,5 meter cable

R2000 R21898000 1240 5

2 Temperature 60, 135 of 600°C

The R2000 is an efficient, versatile hot air gun designed to deliver great performance when performing professional jobs such as paint removal and material machining.



Scan for all blind riveters



RP40 R5001125 490 12

3 Ø 3.2 Ø 4.0 Ø 4.8

Enjoy the convenience of an all-in-one blind riveter. Thanks to the unique Multi nozzle, the RP40 Multi no longer requires nozzle no need to change nozzles. This means faster work and optimal results when fastening all kinds of metal.



RP60 R5001126 610 5

3 Ø 3.2 Ø 4.0 Ø 4.8

Enjoy the convenience of an all-in-one blind riveter. Thanks to the unique Multi nozzle, the RP60 Multi eliminates the need to change nozzles. The 360° rotating head provides better access to hard-to-reach areas.

360° draaibare kop

Container for the pin



RP100 R5000374 640 5

2 Ø 3.2 Ø 4.0 Ø 4.8

With unique force reduction mechanism, the RP100 is a precise and powerful blind rivet pliers that is very light to operate. Designed for intensive use even with the hardest SS blind rivets.

Blind riveters

Blind riveters for blind rivets are designed for fixing heavy and hard material where the backing is not accessible. To ensure the right result, each pack of blind rivets is supplied with a corresponding drill bit.



RP10 R5000376 750 6

2 Ø 3.2 Ø 4.0 Ø 4.8

For quick and trouble-free fixing of blind rivets, this handy set contains 100 blind rivets so you can get started right away. The ergonomic and soft handle is comfortable to use and also has a handy integrated spanner.



360° rotatable head


RP60 R5000375 610 6

2 Ø 3.2 Ø 4.0 Ø 4.8

Enjoy the convenience of an all-in-one blind riveter. Thanks to the unique Multi nozzle, the RP60 Multi eliminates the need to change nozzles. The 360° rotating head ensures better access to hard-to-reach areas.



Scan for all glue guns



EG212 R5000424 270 5 **2** Glue stick Ø 12 mm

For quick, effortless decoration and repair work around the house, this smart, ergonomically designed glue gun is the perfect solution. Supplied with an adjustable stand for more efficient glue application, a soft grip handle and a silicone nozzle protection.



EG310 R40108562 630 6 **2** Glue stick Ø 12 mm

The EG310 glue gun is designed for home use with professional performance. With this powerful precision tool, you will enjoy enhanced control thanks to the Dynamic Grip 4-finger trigger. Features a quick warm-up time, 1,000g/h glue output and an interchangeable nozzle.



EG320 R5000326 620 5 **2** Glue stick Ø 12 mm

Professional and universal glue gun with compact size. Comfortable to operate and designed for precision work, even in intensive use. Comes with fixed and adjustable stand for versatility, fast warm-up time, interchangeable nozzle and a glue output of 1,000 g/hour.



EG130 R40302919 240 5 **2** Glue stick Ø 9 mm

With reliable performance and safety in mind, the EG130 is a handy low-temperature (130 °C) glue gun designed for home and school use. Ideal for sensitive materials, it has an integrated stand and is equipped with a silicone nozzle guard.



Hobby R24928000 360 5 **3** Glue stick Ø 12 mm

This economical glue gun is specially designed for light jobs such as decoration and hobby work or minor repairs. This handy, easy-to-use model comes with six 12 mm glue sticks, so you can get started right away.



EG330 R40303007 870 5 **2** Glue stick Ø 12 mm

High-capacity glue gun equipped with fast warm-up time, temperature switch, interchangeable nozzle and Dynamic Grip. Ideal for demanding jobs where precision and efficiency are required, the EG330 delivers this with its high glue output and 4-finger trigger.



EG380 R5000018 1300 3 **2** Glue stick Ø 12 mm

Industrial glue gun with an exceptionally high glue output of 2,200 g/hour. Designed for demanding use. Convenient adjustable temperature (120-230 °C) for versatility and working with different materials and ergonomic 4-finger trigger to reduce fatigue.

Cordless Rapid glue guns



BGX300 R40303073 660 3 **3** Glue stick Ø 12 mm

Enjoy freedom and versatility by working with this cordless lithium-ion cordless glue gun. Designed for precision and use in and around the home. The BGX300 features patented heating technology and can work wirelessly for up to 60 minutes before recharging is required.



CG270 R5000425 340 5 **3** Glue stick Ø 12 mm

The ideal glue gun for a wide range of indoor and outdoor jobs. The CG270 offers greater ease of use with its removable cable, allowing up to 7 minutes of cordless work. The improved feed and trigger mechanism ensures increased glue output and ease of use.



EG Point R5000423 160 5 **2** Glue stick Ø 7 mm

A compact 7 mm glue gun for arts & crafts. This glue gun can be used cordless and has a nozzle that allows very precise working. The EG Point can be used cordlessly for up to 7 minutes for up to 7 minutes.





Scan for all glue sticks



PRO-T R40302768 1000 10 **PRO** Glue stick Ø 12 mm

For PVC, plastic, cables, glass, porous or fibrous materials

PRO+ R40302777 1000 10 **PRO** Glue stick Ø 12 mm

For plastics, metal, glass, wood and treated surfaces

PRO-B R40302803 1000 10 **PRO** Glue stick Ø 12 mm

For paper, cardboard, textiles and wood

GEN-T R40302799 1000 10 **PRO** Glue stick Ø 12 mm

For paper, cardboard, textiles and wood

ASS R40302787 1000 10 **PRO** Glue stick Ø 12 mm

For wood, packaging, leather, cork and textiles

ECO-T R40302798 1000 10 Glue stick Ø 12 mm

For wood, leather, fabrics, cork, plastic and cardboard



LOWTEMP 130°



Universal glue R40107349 125 10



These universal oval transparency glue sticks are the perfect solution for use with heat-sensitive materials at low temperatures.



Universal glue R40107350 125 10



These 7 mm universal transparent glue sticks are perfect for crafting, decorating and smaller repairs.



Universal glue R40107356 125 10



These 12 mm glue sticks universal transparent provide a strong connection thanks to the high resin levels. Extremely suitable for applications where a transparent finish is required.



Universal glue R40107362 250 10



These 12 mm glue sticks universal transparent provide a strong connection thanks to the high resin levels. Extremely suitable for applications where a transparent finish is required.

LOWTEMP 130°

For use with heat-sensitive materials at low temperature. These oval glue sticks are the perfect solution for hobbying, decorating and other delicate applications that require a strong bond. Available as universal glue and as a coloured glitter version for decoration.



LOWTEMP 130°



Coloured glitter glue R40108462 125 10



These glitter coloured oval glue sticks are perfect for use with sensitive materials at low temperature, such as polystyrene, silk, latex, nylon, polyester and decorations with flowers.



LOWTEMP 130°



Coloured glitter glue R40108463 125 10



These glitter coloured oval glue sticks are perfect for use with sensitive materials at low temperature, such as polystyrene, silk, latex, nylon, polyester and decorations with flowers.



Scan for all staples



R23 handtacker suitable for type 13



Fine wire staples - Type 13

Staples Type 13

Fine wire staples are ideal for working with textiles; virtually invisible and minimal effect on textile fibres. Also suitable for labelling. Made of strong, galvanised steel with sharp tips for optimal penetration. Available in galvanised and SS versions.

13/4 Galvanized 5.000 pcs.	R11825700	220	50
13/6 Galvanized 5.000 pcs.	R11830700	260	50
13/6 SS 2.500 pcs.	R11830726	150	50
13/8 Galvanized 5.000 pcs.	R11835600	310	40
13/8 SS 2.500 pcs.	R11835626	150	50
13/10 Galvanized 5.000 pcs.	R11840600	380	35
13/10 Galvanized 5.000 pcs.	R40303081	380	5
13/14 Galvanized 5.000 pcs.	R11850500	380	25
13/14 Galvanized 5.000 pcs.	R40303082	500	5



Standard staples - Type 10

Staples Type 10

The Standard type 10 staple is made of galvanised soft wire for the most comfortable use and includes sharp ends for the best performance.

10/4 Galvanized 5.000 pcs.	R24863000	110	120
--------------------------------	-----------	-----	-----




Staples - Type 24

Staples Type 24

These staples are ideal for office work and great for crafts and hobby. Galvanised, copper-plated or SS soft wire for the most comfortable use. Sharp ends for best performance. Available in galvanised, copper-plated and SS variant.

24/6 Galvanized 1.000 pcs.	R24855600	50	200
24/6 Copper plated 1.000 pcs.	R24855700	50	200
24/6 Super Strong SS 1.000 pcs.	R24858100	50	200
24/6 Galvanized 5.000 pcs.	R24859800	230	40
24/6 Copper plated 5.000 pcs.	R24860000	230	40
24/6 AMEL Copper plated 5.000 pcs.	R30051146	252	60
24/8 Copper plated 2.000 pcs.	R24859200	120	80
24/8+ Super Strong Galv. 1.000 pcs.	R24858300	60	150
24/8+ Super Strong Galv. 5.000 pcs.	R24860100	310	10



Cable staples - Type 36

Staples Type 36

With their round head, these flat-wire staples are suitable for the fixing low-voltage cables up to 50V, such as computer, loudspeaker or telephone cables. For cables up to 6 mm diameter.

36/10 Galvanized 5 x 1.000 pcs.	R11884410	620	20
-------------------------------------	-----------	-----	----



Esco - Type 58

Staples Type 58

These fine-wire staples are ideal for fixing textiles, fabrics, leather, labels and weaving on wood. Barely visible and have only a minimal effect on the textile fibre.

58/8 Galvanized 5 x 1.000 pcs.	R468080050	192	6
------------------------------------	------------	-----	---



Bostitch - Type RK8

Staples Type RK8

These galvanised staples with soft wire are specially designed for Bostitch staplers. Very comfortable to use due to the sharp ends for the best performance.

RK8/6 Galvanized 5.000 pcs.	R24873700	172	60
---------------------------------	-----------	-----	----



Standard - Type SP19

Staples Type SP19

These galvanised soft wire staples are specially designed for Rapid F19 and Bostitch staplers. Very comfortable to use due to the sharp ends for the best performance.

SP19/6 Galvanized 5.000 pcs.	R24873800	150	60
----------------------------------	-----------	-----	----

Fine wire staples - Type 53

Staples Type 53

These staples are ideal for office work and great for crafts and hobby. Galvanised, copper-plated or SS soft wire for the most comfortable use. Sharp ends for best performance. Available in galvanised, copper-plated and SS variant.

53/4 Galvanized 1.600 pcs.	R40109501	80	50
53/4 Galvanized 5.000 pcs.	R23808700	260	60
53/6 Galvanized 5.000 pcs.	R11856250	310	200
53/6 SS 1.080 pcs.	R40109509	80	5
53/6 Galvanized 1.080 pcs.	R40109502	60	5
53/8 Galvanized 5.000 pcs.	R11857050	350	35
53/8 Galvanized 1.080 pcs.	R40109503	70	5
53/10 Galvanized 1.080 pcs.	R40109504	90	10
53/10 Galvanized 5.000 pcs.	R11858810	380	35
53/12 Galvanized 5.000 pcs.	R11859610	490	30
53/12 Galvanized 1.080 pcs.	R40109505	230	40
53/14 Galvanized 5.000 pcs.	R11860410	550	25
53/14 Galvanized 1.080 pcs.	R40109506	110	5
53/16 Galvanized 5.000 pcs.	R11860490	670	20
53/20 Galvanized 1.250 pcs.	R11894301	200	5



Super Strong - Type 73

Staples Type 73

Very hard and sturdy galvanized wire staples, for demanding stapling tasks, for home, school or office use.

73/6 Galvanized 5.000 pcs.	R24890200	500	24
73/8 Galvanized 5.000 pcs.	R24890300	610	18
73/10 Galvanized 5.000 pcs.	R24890400	720	16
73/12 Galvanized 5.000 pcs.	R24890800	820	15



Fine wire staples - Type 140

Staples Type 140

Very hard and sturdy galvanized wire staples, for demanding stapling tasks, for home, school or office use.

140/6 Galvanized 5.000 pcs.	R11905711	530	20
140/8 Galvanized 5.000 pcs.	R11908111	620	20
140/10 Galvanized 5.000 pcs.	R11910711	720	20
140/10 Galvanized 2.000 pcs.	R11910733	150	50
140/12 Galvanized 5.000 pcs.	R11912311	830	15
140/14 Galvanized 5.000 pcs.	R11915611	950	15



Staples - Type 606

Staples Type 606

Very hard and sturdy galvanized wire staples, for demanding stapling tasks, for home, school or office use.

606/12 Galvanized 4.000 pcs.	R11895002	610	6
606/12 Galvanized 1.200 pcs.	R40109527	200	5
606/18 Galvanized 4.000 pcs.	R11897602	890	6



Fine wire staples - Type 970

Staples Type 970

These galvanized flatwire staples are especially suitable for use with Black & Decker tackers.

970/6 Galvanized 1.344 pcs.	R40109549	148	20
---------------------------------	-----------	-----	----



Scan for all staples



R34 handtacker suitable for type 140



Scan for all nagels



Nails / Brads - Type 8



Nails Type 8

Versatile and high quality. These powerful, galvanised brads are ideal for many different types of joinery such as panels, skirting boards and light furniture. Sharp tip for optimum penetration.

8/15 | Small head | Galv. | 5.000 pcs. **R40100532** 690 20

8/15 | Galvanized | 1.000 pcs. **R40109533** 120 60

8/19 | Small head | Galv. | 5.000 pcs. **R40100533** 890 12

8/25 | Small head | Galv. | 5.000 pcs. **R40014272** 1080 12

8/25 | Galvanized | 1.000 pcs. **R40109535** 220 20

8/30 | Galvanized | 1.000 pcs. **R40109536** 250 20

8/30 | Small head | Galv. | 5.000 pcs. **R40014273** 1310 12

8/35 | Small head | Galv. | 5.000 pcs. **R40100534** 1480 10

8/40 | Small head | Galv. | 5.000 pcs. **R40100535** 1740 6

8/50 | Small head | Galv. | 5.000 pcs. **R40100537** 2160 6

Nails / Brads - Type 16A



Nails Type 16A

These powerful, galvanised nails are ideal for applications such as doors, windows, labelling and skirting boards. The 20-degree angle ensures easy access to corners. Sharp tip for optimum penetration.

16A/32 | 20° | Galvanized | 2.000 pcs. **R5000817** 450 6

16A/45 | 20° | Galvanized | 2.000 pcs. **R5000819** 1330 5

16A/64 | 20° | Galvanized | 2.000 pcs. **R5000821** 1540 6



Nails / Brads - Type 32



Nails Type 32

These galvanised flatwire staples are especially suitable for use with Black & Decker tackers.

32/32 | Superhard | Galv. | 1.000 pcs. **R40104405** 690 20

Eyelets & grommets



Eyelets **R5000409** 40 12

High-quality eyelets especially for textiles, leather, shoes and canvas. A mix of brass, zinc & copper eyelets. Designed for the Rapid RP05.



Oogjes Ø 4 mm



Grommets **R5000412** 120 12

Sturdy, durable grommets ideal for reinforcing holes in a wide range of materials, including canvas, sailcloth, leather and more.



Zeilringen Ø 10 mm

Blind rivets - Ø 3.2 mm



Nails Ø 3.2 mm

These high-performance, aluminium blind rivets are perfect for fixing material in areas subjected to more force. Ideal for fixing metal and plastic, mudguards and metal plates. Drill bit of the correct diameter is included in the package.

Ø 3.2 x 8 mm | Aluminium | 50 pcs. **R5000383** 50 15



Scan for all blind rivets



Blind rivets - Ø 4.0 mm



Nails Ø 4.0 mm

These high-performance, aluminium blind rivets are perfect for fixing material in areas subjected to more force. Ideal for fixing metal and plastic, mudguards and metal plates. Drill bit of the correct diameter is included in the package.

Ø 4.0 x 8 mm | Aluminium | 100 pcs. **R5000378** 140 60

Ø 4.0 x 12 mm | Aluminium | 50 pcs. **R5000384** 90 15

Ø 4.0 x 14 mm | Aluminium | 50 pcs. **R5000385** 110 15



Blind rivets - Ø 4.8 mm



Nails Ø 4.8 mm

These high-performance, aluminium blind rivets are perfect for fixing material in areas subjected to more force. Ideal for fixing metal and plastic, mudguards and metal plates. Drill bit of the correct diameter is included in the package.

Ø 4.8 x 10 mm | Aluminium | 50 pcs. **R5000387** 120 15

Ø 4.8 x 12 mm | Aluminium | 50 pcs. **R5000388** 140 15

Ø 4.8 x 14 mm | Aluminium | 50 pcs. **R5000389** 160 15



Hogring - Type VR16



Galvanized high quality hog rings. Effective solution for securing tension wire and fencing. Suitable for 2-8 mm diameter and ideal for securing cages, fencing or protecting young plants.

- 2-8 mm | Galvanized | 400 pcs. R40108796 130 5
- 2-8 mm | Galvanized | 1.390 pcs. R40108799 410 5
- 2-8 mm | Galvanized | 215 pcs. R40108808 940 13
- 2-8 mm | Green | Galvanized | 3.190x R40108809 830 5



Hogring - Type VR22



Galvanized high quality hog rings. Effective solution for securing tension wire and fencing. Suitable for 2-8 mm diameter and ideal for securing cages, fencing or protecting young plants.

- 5-11 mm | 2mm thick | Galvanized | 215 pcs. R40108801 20 5
- 5-11 mm | Black | Galvanized | 1.600 pcs. R40017338 1290 50
- 5-11 mm | 1.9mm thick | Black | Galv. | 1.100 pcs. R40108802 180 5
- 5-11 mm | Black | Galvanized | 215 pcs. R40108804 170 5
- 5-11 mm | 2mm thick | Galvanized | 1.100 pcs. R40108806 990 5
- 5-11 mm | 1.9mm thick | Green | Galv. | 1.100 pcs. R40108807 860 5
- 5-11 mm | 2mm thick | Galvanized | 1.600 pcs. R40108810 1450 5
- 5-11 mm | 1.9mm thick | Green | Galv. | 1.600 pcs. R40108811 1260 5



Hogring - Type VR38



Designed for use with the Rapid GP238 garden pliers, these galvanized high-quality hog rings are ideal for securing branches 6-11-16 mm in diameter.

- 6-11-16 mm | Galvanized | 300 pcs. R40109236 240 5



Hogring - Type C50/C75/C85

These high-quality, steel hog rings are the ideal solution for securing branches and cuttings. Suitable for the LIG150 and/or LIG175.

- C50 | 4-14 mm | Steel | 4.200 pcs. R40107757 C50 9120 4
- C75 | 6-18 mm | Steel | 6.000 pcs. R40107759 C75 4380 5
- C85 | 6-20 mm | Steel | 5.000 pcs. R40108802 C85 180 4



Scan for all hogrings

Terms & condition

General terms and conditions of sale and delivery of Westparts B.V. in Wieringerwerf, The Netherlands

For the private owned company with limited responsibility WESTPARTS B.V., by law established in Hoorn, with office space in 1771 SP Wieringerwerf, De Stek 7.

Article 1. Validity of these terms and conditions

These terms and conditions are valid for every offer and/or every agreement between Westparts B.V. hereinafter referred to as "Westparts", and customers who have been informed about the terms and conditions, as long as none of the parties have denied in writing the validity of the terms. If one or more articles are regarded as invalid, the remaining articles remain valid.

Article 2. Offers and agreements

- All offers are without obligations, unless otherwise explicitly agreed upon in writing. Westparts has the right to withdraw any given offer within two working days after acceptance.
- Agreements are valid only upon written confirmation from Westparts to the customer; this also concerns agreements made through an intermediary.

Article 3. Delivery

The customer is obligated to accept the products when these are delivered to him, or when the products are made available to him according to the agreement. If the customer refuses to do so, or is late with passing on information or instructions essential for the delivery, the products will be stored at the customers risk. The customer will in this case be responsible for all possible costs in this connection, and at least the storage costs.

Article 4. Delivery time

Any dates quoted for delivery are approximate only, unless otherwise has been agreed upon. If otherwise has been agreed upon, and Westparts do not deliver on time, the customer is obligated to hold Westparts liable in writing.

Article 5. Back orders / partial deliveries

Westparts has the right to deliver partially. This does not apply if the partial delivery has no independent value. If the products are delivered partially, Westparts has the right to invoice each delivery independently.

Article 6. Technical requirements etc.

If the products delivered in the Netherlands are to be used outside the Netherlands, Westparts is responsible for that the delivered products are in accordance with the technical requirements and/or standards that are demanded by laws or regulations in the country where the products are to be used, if the information regarding use in another country has been given upon finalizing the contract. All other technical requirements the customer has regarding the to- be -delivered products and which differ from the normal standards, must be explicitly informed upon the finalizing of the contract.

Article 7. Changes

Westparts has the right to deliver products that differs from the products described in the sales contract. If Westparts uses this right, and delivers a product that substantially differs from the product agreed upon, the customer has the right to annul the contract. The customer has the right to do so within 14 days after delivery date, or when he should have noticed the substantial differences.

Article 8. Termination of the contract

- Westparts' claims towards the customer are immediately effective in case of the following circumstances:
 - if after finalizing the agreement, Westparts receives information that gives Westparts reason to believe that the customer will not fulfil his obligations
 - if Westparts has asked the customer for security for the order when finalizing the contract, and security has not been given or is unsatisfactory.In case of the above mentioned circumstances, Westparts has the right to delay further execution of the agreement, as well as annul the agreement. This does not effect Westparts' rights for compensation.
- In case of unexpected circumstances having influence on persons and/or materials used or planned used by Westparts when carrying out the agreement, and if the unexpected circumstances are of such kind that it makes the execution impossible or utterly difficult, and/or leads to such costs that the carrying out of the agreement can not be reasonably defended, Westparts has the right to annul the agreement.

Article 9. Warranties

- Westparts is not responsible for production faults concerning the delivered goods.
- Westparts delivers goods with normal factory warranties and the production units are thus responsible in all cases.

Article 10. Ownership

- Products delivered by Westparts remains property of Westparts until the customer has fulfilled all responsibilities regarding all final contracts and agreements with Westparts:
 - any in return commitments with reference to delivered products or products to be delivered
 - potential claims due to the customer not having fulfilled his commitments according to the agreementProducts delivered by Westparts falling under 10.1, can only be re-sold within a framework of a normal company management. The customer does not hold any authority to pawn or to establish any rights on the products. In case the customer does not live up to his responsibilities or there is a reasonable doubt regarding whether or not he will do so, Westparts has the right to remove or have removed products falling under article 10.1, from either the buyer or any third party holding the products in stock. The customer is legally bound to fully co-operate under penalty of a daily fine of 10% of the amount still to be paid
- If a third party wants to establish any rights on the under the rights of ownership delivered goods, the buyer is legally bound to inform Westparts as soon as in fairness can be expected. The customer is obliged to:
 - insure and to keep insured the under the rights of ownership delivered good against fire-, explosion-, and water damage and against theft and to hand over the insurance policy for inspection if requested to do so.
 - to pawn all claims from the customer to the insures in connection to the under the rights of ownership delivered goods, to Westparts in the way that is prescribed in art. 3:239 BW.
 - to pawn the demands that the customer gets towards his buyers from reselling under the rights of ownership delivered goods by Westparts, to Westparts in the way that is prescribed in art. 3: 239 BW.
 - to mark all under the rights of ownership delivered goods as Westparts property.
 - to lend cooperation in other ways to all reasonable measures that Westparts will take safeguarding her rights of ownership in connection with the goods and which do not unreasonably harm the customer in the normal practise of his company.
- If a third party wants to establish any rights on the under the rights of ownership delivered goods, the buyer is legally bound to inform Westparts as soon as in fairness can be expected.
- The customer is obliged to:
 - insure and to keep insured the under the rights of ownership delivered good against fire-, explosion-, and water damage and against theft and to hand over the insurance policy for inspection if requested to do so.
 - to pawn all claims from the customer to the insures in connection to the under the rights of ownership delivered goods, to Westparts in the way that is prescribed in art. 3:239 BW.
 - to pawn the demands that the customer gets towards his buyers from reselling under the rights of ownership delivered goods by Westparts, to Westparts in the way that is prescribed in art. 3: 239 BW.
 - to mark all under the rights of ownership delivered goods as Westparts property.
 - to lend cooperation in other ways to all reasonable measures that Westparts will take safeguarding her rights of ownership in connection with the goods and which do not unreasonably harm the customer in the normal practise of his company.

Article 11. Complaints

- The customer needs to (let) check the purchased goods up on delivery or as soon as possible after the delivery. The customer has to check if the delivered goods answers to the agreed upon, namely:
 - if the correct goods have been delivered
 - if the delivered goods answer to the agreed upon quantity
 - if the delivered goods meet the agreed upon quality requirements or
 - if these are lacking - if they do meet the demands one may have for normal use and/or commercial purpose
- If visible faults or shortages are established the customer has to inform Westparts within 8 days after delivery.
- Non visible faults have to be informed in writing within 8 days to Westparts, after the establishing of the faults, yet at the very latest within the given factory guarantee.
- Also when the customer complains in time, his obligation to payment and the purchase of the ordered goods stays valid. Goods can only be returned to Westparts after the foregoing permission in writing.

Article 12. Price increase

If Westparts has a special price agreement with a customer, Westparts nevertheless has the right to raise her prices, and has the right to charge the prices according to her valid pricelist upon delivery. If the price increase is more than 10%, the customer has the right to annul / disband the agreement.

Article 13. Packaging

The customer is obliged to return the transport packaging empty and undamaged within 30 days. If the customer does not meet his obligations with regards to the packaging, all extra costs to follow, will be for his own account. Such costs may be: costs due to late return shipment, costs of replacement, repair or cleaning.

Article 14. Payment

- Unless otherwise expressly stated payment for the goods is due no later than 30 days after invoice date:
 - by legal currency to Westparts bv
 - by transferring the due amount to the informed account numbers in property of WestpartsIf full payment is not made by the due date, the buyer will automatically be in omission, and will be charged with an extra 1% interest per month, based on the amount he has to pay.
- In case of liquidation, bankruptcy, delay of payment from the customer, the obligations will be immediate effective.
- Payment should be made without discounts or settlement.
- Payment made by customer will first serve to settle all unpaid interest and costs, and then to settle the oldest invoice due, even if the customer states that payment is meant for a later invoice.

Article 15. Collection costs

- If the customer is inadequately or neglectful in carrying out his obligations, all reasonable extra costs for collecting the payment will be for the customers account. The minimum costs will be:

-Up till € 2.950,-	15%
-From above amount and up till € 5.900,-	10%
-From above amount and up till € 14.750,-	8%
-From above amount and up till € 58.900,-	5%
-From above amount and up	3%
- If Westparts can document higher costs made in connection with collecting the money, which were necessary and also reasonable, these costs will also be for the customers account. All judicial and extrajudicial collection costs that Westparts makes, are all to be paid by customer. This is applicable only in case of a legal process

Article 16. Liability

- Westparts is to the customer only liable:
- For damage due to shortcomings in the delivered goods concerns only the liability as settled in article 9 of these General Terms and Conditions,
 - Westparts is liable if damage has been caused by intention or crude guilt of Westparts or her executive inferiors.
 - The liability of Westparts is limited to the amount stated by the insurance, as far as the liability is covered by the insurance.
 - If the insurance in any case does not cover or does not proceed with payment, the liability will be limited to the invoice amount or if no invoice is existing the value of the agreed upon achievement.

Article 17. Force Majeure

- Under force majeure is to be understood:
 - Circumstances that will enable the fulfillment of the agreement, which are not ascribable to Westparts. Among these the following will be included (if and as far as these circumstances make the fulfillment impossible or unreasonably complicated): strikes in other companies than Westparts', wild strikes or political strikes; general shortage or lack of necessary raw materials and other goods or services that are necessary to reach the agreed upon performance; not foreseen stagnation in connection with suppliers or other third parties who Westparts is depending on and general problems in transport.Westparts also has the right to refer to force majeure if circumstances that enable the fulfillment occur after Westparts should have met her obligations.
- During the period of force majeure the deliveries and other obligations of Westparts will be postponed. If this period due to force majeure which in Westparts is not able to meet her obligations, lasts longer than 3 months, both parties are entitled to annul the agreement, without any obligations with regards to compensation.
- If Westparts in the beginning of the period of force majeure already partially has fulfilled her obligations, or is able to fulfil her obligations only partially, Westparts has the right to invoice the partially delivered goods, or the goods that are to be partially delivered, and is the customer obligated to regard this invoice as a separate contract. This does not apply if the partial delivery has no independent value.

Article 18. Disputes

As a deviation from the statutory rules for the authorities of the civil court, all disputes between the customer and Westparts, as long as the court has the necessary authorities, will be settled by the Civil Court in Alkmaar. Nevertheless Westparts has the authority to summon the buyer to an according to the law or the applicable international treaty qualified court.

Article 19. Applicable law

All relationships between Westparts and the customer will be governed by Dutch law.

Article 20. Changes in the General terms and conditions

Westparts has the right to change the General terms and conditions. The changes will come into force on the announced time of commencement. Westparts will send the renewed terms and conditions to the customers in time. If no time of commencement has been announced to the customer, the changes will come into force as soon as the customer has received the announcement.

Article 21. Translations

In case of conflict between a translation and the Dutch version of these terms and conditions, the Dutch text shall prevail.

The above terms and conditions have been deposited with the Chamber of Commerce at Alkmaar under number 36040554.1781

Staples & nail guide

Find the right type of staple or nail. This staples and nails guide makes it easy to find the type that fits your needs.

With each product you will find the information you need to find the right staples or nails. On this page you can read how to determine the correct length. The table below contains information about the dimensions of different staples or nails. On the next page you will find an overview of which staples or nails you need for your Rapid tacker.



Fine wire staples - for fabric, textiles and leather

The best choice for fixing thin material, such as covering furniture or stretching a canvas on a wooden frame. Small, thin, discreet. Does not create large holes or tears in the material.




Standard staples – for home, florists and office

The best choice for stapling paper and other thin material. The staples are made of soft material. Ideal for post office, (flower) store, home and office.



Fine wire staples - for corrugated cardboard, plastic films and carpet

The right choice for attaching material such as plastic film, insulation film, corrugated cardboard or carpets. The wide wire ensures that the material stays securely in place.




Cable staples – for cables and wires


These staples have a round head and are therefore suitable for fixing low-current cables up to 50V, for example computer, stereo and telephone cables. For different diameters (4.5 mm and 6 mm).

Select the right length


The thickness and type of material determine the length to be used.



	10	24	73	140	13	53	28	36	7	606	1	11	12
A mm	9.3	12.6	11.4	10.6	10.6	11.4	6.3	7.7	7.8	6	10.2	11.7	12.95
B mm	4	4-8	6-12	6-16	4-20	4-20	9-11	10-14	12-14	12-30	8-10	10	6-16
C mm	0.5	0.6	1.3	1.3	0.7	0.75	1.3	1.3	1.22	1.1	1	1.25	0.95




	58	970	980	BMN	90	T 8	T 16	T 16A	21P	21B	23P	T 32	T 34
A mm	13	12.3	13	11.2	5.7	2	2.8	2.8	0.8	1.5	3.1	7.0	9.5
B mm	8	6-14	8-14	6-14	20-40	15-50	14-50	32-64	20-30	20-40	32-64	50-90	19-45
C mm	0.75	1.25	1.25	0.75	1.27	1.25	1.62	1.62	0.8	0.8	1.8	2.8/3.1	3.0




Standard

The staple or nail should be three times as long as the material to be fastened.



Hard materials

On hard surfaces, the leg length of the staple should be twice as long as the thickness of the material to be fastened. A nail should be three times as long as the material to be fastened.



Fine or thin materials

When fastening thin or light material, the leg length of the staple should be 4 mm longer than the thickness of the material. A nail with a round head should be 6 mm longer than the thickness of the material.

Pro

ALU610 / MS610	53	6-10 mm	13	6-10 mm
ALU840 / MS840 / ALU740	140	6-14 mm	T 8	15 mm
ALU853 / MS853 ALU753 / ALU953	53	6-14 mm	T 8	15 mm
ALU913	13	6-14 mm	T 8	15 mm
BN50	T 8	25-55 mm		
BN64	T 16A	32-64 mm		
BTX140	140	6-14 mm	T 8	15 mm
BTX530	53	6-14 mm	T 8	15 mm
Compacta	53	6-14 mm		
E100	53	6-14 mm	T 8	15 mm
E-tac	140	6-14 mm	T 8	15 mm
EcoTacker	53	4-8 mm	13	4-8 mm
EN330	T 8	15-30 mm		
EN50	T 8	15-50 mm		
ES130 / ES140	140	6-14 mm	T 8	15 mm
ESN113	13	6-14 mm	T 8	15 mm
ESN114	140	6-14 mm	T 8	15 mm
ESN530	53	6-14 mm	T 8	15 mm
Hobbytacker	53	4-8 mm		
HobbytackerDual	53	6-12 mm	T 8	15 mm
HobbytackerElectric	53	6-14 mm	T 8	15 mm
MS2.1	53	6-12 mm	7	12-14 mm
MS4.1	53	6-12 mm	7	12-14 mm
	T 8	15 mm	9	15 mm
Multitacker	53	6-12 mm	T 8	8 mm
	7	12-14 mm	9	15 mm
PB131	T 8	15-50 mm		
PB161	T 32	32-64 mm		
PBS121	606	12-30 mm	T 8	15-30 mm
PBS151	90	20-40 mm	T 8	15-50 mm
PCN45	45	19-45 mm		
PCN90	50	50-90 mm		
PFN3490	T 34	50-90 mm		
PMP171	23P	15-35 mm		
PN15-30	T 8	15-30 mm		

Office

E10	10	4 mm		
K1 / S27	24	4-8 mm		

PN15-50 / Pneumatic18G+	T 8	15-50 mm		
PN21-40	21B	24-40 mm	21P	15-30 mm
PN32-65	T 32	32-64 mm		
Pneumatic18G	T 8	15-30 mm		
PS6-16	53	6-16 mm		
PS101	53	6-16 mm		
PS111	140	6-16 mm		
PS141	12	6-16 mm		
PS1280	12	6-16 mm		
PSN15-30	606	12-30 mm	T 8	15-30 mm
PSN20-50	44	20-40 mm	T 16	20-50 mm
R11	140	6-10 mm		
R13	13	4-10 mm		
R14	140	6-8 mm		
R19	13	4-6 mm		
R23	13	4-8 mm		
R28	28	9-11 mm		
R30	13	4-8 mm		
R33	13	6-14 mm		
R34	140	6-14 mm		
R36	36	10-14 mm		
R44	140	6-14 mm		
R53	53	4-10 mm		
R54	140	10-14 mm		
R64	140	6-14 mm	T 8	15 mm
R83	13	6-14 mm	T 8	15 mm
R153	53	4-8 mm		
R213	13	8-20 mm	T 8	15-20 mm
R214	140	8-16 mm		
R253	53	6-14 mm		
R311 / R211	140	6-12 mm		
R353	53	6-14 mm		
R453	53	6-14 mm	T 8	15 mm
R553	53	8-20 mm	T 8	15-20 mm
R606	606	12-25 mm	T 8	15-25 mm

ESCO58	58	8 mm		
HD31	73	6-12 mm		



www.rapidtools.nl



Find your nearest
Rapid Tools dealer at

dealers.rapidtools.nl

Rapid Tools

De Stek 7
1771 SP Wieringerwerf
The Netherlands

Contact us

+31 (0)227 60 15 00
sales@rapidtools.nl